

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 13-48-1456877
Name of Facility: North Dade Middle/ Loc.# 6591
Address: 1840 NW 157 Street
City, Zip: Opa Locka 33054

Type: School (more than 9 months)
Owner: Miami-Dade County Public Schools
Person In Charge: Miami-Dade County Public Schools Phone: (305) 995-4900
PIC Email:

Inspection Information

Purpose: Routine
Inspection Date: 7/12/2023
Correct By: Next Inspection
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 0
Number of Repeat Violations (1-57 R): 1
Facility Grade: N/A
Stop Sale: No

Begin Time: 11:07 AM
End Time: 11:57 AM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER	
<u>IN</u> 30. Pasteurized eggs used where required	<u>NA</u> 46. Slash resistant/cloth gloves used properly
<u>IN</u> 31. Water & ice from approved source	UTENSILS, EQUIPMENT AND VENDING
<u>NA</u> 32. Variance obtained for special processing	<u>IN</u> 47. Food & non-food contact surfaces
FOOD TEMPERATURE CONTROL	<u>IN</u> 48. Ware washing: installed, maintained, & used; test strips
<u>IN</u> 33. Proper cooling methods; adequate equipment	<u>IN</u> 49. Non-food contact surfaces clean
<u>IN</u> 34. Plant food properly cooked for hot holding	PHYSICAL FACILITIES
<u>IN</u> 35. Approved thawing methods	<u>IN</u> 50. Hot & cold water available; adequate pressure
<u>IN</u> 36. Thermometers provided & accurate	<u>IN</u> 51. Plumbing installed; proper backflow devices
FOOD IDENTIFICATION	<u>IN</u> 52. Sewage & waste water properly disposed
<u>IN</u> 37. Food properly labeled; original container	<u>IN</u> 53. Toilet facilities: supplied, & cleaned
PREVENTION OF FOOD CONTAMINATION	<u>OUT</u> 54. Garbage & refuse disposal (COS)
<u>IN</u> 38. Insects, rodents, & animals not present	<u>OUT</u> 55. Facilities installed, maintained, & clean (R)
<u>IN</u> 39. No Contamination (preparation, storage, display)	<u>IN</u> 56. Ventilation & lighting
<u>IN</u> 40. Personal cleanliness	<u>IN</u> 57. Permit; Fees; Application; Plans
<u>IN</u> 41. Wiping cloths: properly used & stored	
<u>NO</u> 42. Washing fruits & vegetables	
PROPER USE OF UTENSILS	
<u>IN</u> 43. In-use utensils: properly stored	
<u>IN</u> 44. Equipment & linens: stored, dried, & handled	
<u>IN</u> 45. Single-use/single-service articles: stored & used	

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

<p>Violation #54. Garbage & refuse disposal At the time of this inspection, the Dumpster was observed open. Dumpster shall always be closed to prevent contamination. Person in charge closed the Dumpster. Corrected onsite. CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.</p>
<p>Violation #55. Facilities installed, maintained, & clean At the time of this inspection, the electrical food warmer gasket was observed damage. (Work order # 4321182). Replace gasket. (Repeated 5-16-2023)</p> <p>At the time of this inspection, the two doors reach in cooler gasket was observed damage. (Work order # 4339602). Replace gasket. (Repeated 5-16-2023)</p> <p>At the time of this inspection, one of the handwashing sink inside the kitchen was observed leaking water. (Work order # 4360435). Repair or replace.</p> <p>At the time of this inspection, Gas top oven was observed out service. (Work order # 4352451). Repair or replace.</p> <p>CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.</p>

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

At the time of this inspection, temperatures were taken with Therman Thermometer.

Handwashing sink hot line # 103F.
Handwashing sink hot line # 2 101F
Handwashing sink near to preparation line 102F.
Handwashing sink main kitchen 104F.

3 Compartment sink 120F.
Mop sink 116F.
Employee s restroom 100F.

Warmer # 1

Black Beans 168F.

Walk in cooler 39F.

Yellow Cheese 38F.
Apple Juice 38F.

Reach in cooler 39F

Cherry Tomatoes 40F.

Cold Box # 1 39F.

Milk 38F.

Sanitizer was tested with QT test strips. Concentration 200ppm. Temperature 76F.

Email Address(es): tcoleman@dadeschools.net;
karmand@dadeschools.net

Inspection Conducted By: Pedro Hernandez Bastidas (60752)
Inspector Contact Number: Work: (305) 623-3500 ex.
Print Client Name:
Date: 7/12/2023

Inspector Signature:

Client Signature: